



THE VALUE OF EMOTIONS

The first dental unit designed to create the right atmosphere in your work environment.

OPPORTUNITY COMPACT - RELIABILITY WITHOUT COMPROMISE

Opportunity Compact is a dental unit that focuses on reliability; designed to ensure the productivity of any doctor, is built with the most innovative components, assembled and tested by our technicians one by one.



Board

The mechanics of the instrument is designed to increase maneuverability and eliminate the tension exerted on the wrist of the doctor for total comfort. As an alternative, the tablet may be produced with hanging hoses. The instruments, while remaining out of sight of the patient, help to create a more relaxed atmosphere.

Cuspidor

The glass or ceramic cuspidor can be fixed or mobile; Choose from many colors for a touch of vitality to your dental unit. The cuspidor is removable for a complete cleaning.



Working positions

The Opportunity Compact is designed to offer maximum freedom for medical staff in every clinical situation.



Customization

Dress up the dental unit with the livery you like best or most appropriate to the study in which it is inserted. You decide to have images suitable for children or relaxing scenery.

Through high-resolution printing on vinyl laminate we have the ability to customize your dental unit according to your tastes.

Easy removal of the film allows you to change the look of your meeting when you want and how you want without incurring excessive costs.



Assistant board

Compact and easy to handle, the assistant's module allows you to fit comfortably up to 5 instruments.

The console (optional) controls intuitively all the functions of the unit and is combined with a practical and spacious tray.



Sky

Completes the design of your studio selecting the most appropriate leather color.



SPECS

Maximum width
Depth
Seat height
Overall height (lamp included)
Weight
Operating voltage
Electrical frequency
Operating pressure (air)
Operating pressure (water)
Structure

OPPORTUNITY COMPACT

1780 mm
820 mm
Adjustable from 360 to 800 mm
1960 mm
220 kg
220-230 V
50 Hz
4 atm min.
1.5 atm min.
Steel / Aluminium alloy



This document is not binding.
The Company reserves the right to make changes
and improvements to its products.